Civil Engineering Database Subject Heading Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1970. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2004 from a CEDB subject heading list. The CEDB and subject heading list can be accessed on the Web at *http://www.pubs.asce.org/cedbsrch.html*.

Acoustic measurement

Transform Potential-Theoretic Method for Acoustic Radiation from Structures. —S. I. Hariharan and Scott Sawyer; 18(1), 60-7 (2005).

Acoustic waves

Transform Potential-Theoretic Method for Acoustic Radiation from Structures. —S. I. Hariharan and Scott Sawyer; 18(1), 60-7 (2005).

Aerodynamics

Simulation of Airfoil Icing with a Novel Morphogenetic Model. —Krzysztof Szilder and Edward P. Lozowski; 18(2), 102-10 (2005).

Aeroelasticity

Nonlinear Aeroelastic Simulation of a Full-Span Aircraft with Oscillating Control Surfaces. —Jae-Han Yoo, Dong-Hyun Kim, Hyuk-Jun Kwon, and In Lee; 18(3), 156-67 (2005).

Dynamic Aeroelastic Instabilities of an Aircraft Wing with Underwing Store in Transonic Regime. — Chakradhar Byreddy, Ramana V. Grandhi, and Philip Beran; 18(4), 206-14 (2005).

Aerospace engineering

Ballistic Impact of Braided Composites with a Soft Projectile. —Gary D. Roberts, J. Michael Pereira, Duane M. Revilock, Jr., Wieslaw K. Binienda, Ming Xie, and Mike Braley; 18(1), 3-7 (2005).

Stability of Anisotropic Laminated Rings and Long Cylinders Subjected to External Hydrostatic Pressure. — Hayder A. Rasheed and Omer H. Yousif; 18(3), 129-38 (2005).

Large Deployable Space Antennas Based on Usage of Polygonal Pantograph. —A. G. Cherniavsky, V. I. Gulyayev, V. V. Gaidaichuk, and A. I. Fedoseev; 18(3), 139-45 (2005).

Hierarchical High-Fidelity Analysis Methodology for Buckling Critical Structures. —Johann Arbocz and James H. Starnes; 18(3), 168-78 (2005).

Applications of Genetic-Taguchi Algorithm in Flight Control Designs. —Ciann-Dong Yang, Chi-Chung Luo, Shiu-Jeng Liu, and Yeong-Hwa Chang; 18(4), 232-41 (2005).

Aerospace industry

Dynamic Aeroelastic Instabilities of an Aircraft Wing with Underwing Store in Transonic Regime. — Chakradhar Byreddy, Ramana V. Grandhi, and Philip Beran; 18(4), 206-14 (2005).

Aircraft

Experimental Considerations for Determining the Damping Coefficients of Hard Coatings. — Frank Ivancic and Anthony Palazotto; 18(1), 8-17 (2005).

Energy-Efficient Trajectories of Unmanned Aerial Vehicles Flying through Thermals. — Ying "Celia" Qi and Yiyuan J. Zhao; 18(2), 84-92 (2005).

Simulation of Airfoil Icing with a Novel Morphogenetic Model. — Krzysztof Szilder and Edward P. Lozowski; 18(2), 102-10 (2005).

Rotorcraft Trajectory Optimization with Realizability Considerations. — Carlo L. Bottasso, Alessandro Croce, Domenico Leonello, and Luca Riviello; 18(3), 146-55 (2005).

Nonlinear Aeroelastic Simulation of a Full-Span Aircraft with Oscillating Control Surfaces. — Jae-Han Yoo, Dong-Hyun Kim, Hyuk-Jun Kwon, and In Lee; 18(3), 156-67 (2005).

Dynamic Aeroelastic Instabilities of an Aircraft Wing with Underwing Store in Transonic Regime. — Chakradhar Byreddy, Ramana V. Grandhi, and Philip Beran; 18(4), 206-14 (2005).

Applications of Genetic-Taguchi Algorithm in Flight Control Designs. —Ciann-Dong Yang, Chi-Chung Luo, Shiu-Jeng Liu, and Yeong-Hwa Chang; 18(4), 232-41 (2005).

Algorithms

Applications of Genetic-Taguchi Algorithm in Flight Control Designs. —Ciann-Dong Yang, Chi-Chung Luo, Shiu-Jeng Liu, and Yeong-Hwa Chang; 18(4), 232-41 (2005).

Analytical techniques

Transform Potential-Theoretic Method for Acoustic Radiation from Structures. —S. I. Hariharan and Scott Sawyer; 18(1), 60-7 (2005).

Buckling of Laminated Composite Rectangular Plates. — K. K. Shukla, Y. Nath, E. Kreuzer, and K. V. Sateesh Kumar; 18(4), 215-23 (2005).

Anisotropy

Stability of Anisotropic Laminated Rings and Long Cylinders Subjected to External Hydrostatic Pressure. — Hayder A. Rasheed and Omer H. Yousif; 18(3), 129-38 (2005).

Antennas

Large Deployable Space Antennas Based on Usage of Polygonal Pantograph. —A. G. Cherniavsky, V. I. Gulyayev, V. V. Gaidaichuk, and A. I. Fedoseev; 18(3), 139-45 (2005).

Beams

Generic Impedance-Based Model for Structure-Piezoceramic Interacting System. — Yaowen Yang, Jianfeng Xu, and Chee Kiong Soh; 18(2), 93-101 (2005).

Beams, cantilever

Effect of z-Pins on Fracture in Composite Cocured Double Cantilever Beams. — Victor Birman and Larry W. Byrd; 18(1), 51-9 (2005).

Biaxial loads

Buckling of Laminated Composite Rectangular Plates. — K. K. Shukla, Y. Nath, E. Kreuzer, and K. V. Sateesh Kumar; 18(4), 215-23 (2005).

Buckling

Stability of Anisotropic Laminated Rings and Long Cylinders Subjected to External Hydrostatic Pressure. — Hayder A. Rasheed and Omer H. Yousif; 18(3), 129-38 (2005).

Hierarchical High-Fidelity Analysis Methodology for Buckling Critical Structures. — Johann Arbocz and James H. Starnes; 18(3), 168-78 (2005).

Buckling of Laminated Composite Rectangular Plates. — K. K. Shukla, Y. Nath, E. Kreuzer, and K. V. Sateesh Kumar; 18(4), 215-23 (2005).

Coatings

Experimental Considerations for Determining the Damping Coefficients of Hard Coatings. —Frank Ivancic and Anthony Palazotto; 18(1), 8-17 (2005).

Combustion

Experimental Studies on Supersonic Cold Flow Mixing with Ramp Mixers. —S. Manoharan, B. Umesh Chandra, S. R. Chakravarthy, S. Rajesh Ramakrishnan, and J. D. A. Subramanyam; 18(4), 197-205 (2005).

Communication

Large Deployable Space Antennas Based on Usage of Polygonal Pantograph. —A. G. Cherniavsky, V. I. Gulyayev, V. V. Gaidaichuk, and A. I. Fedoseev; 18(3), 139-45 (2005).

Composite materials

Ballistic Impact of Braided Composites with a Soft Projectile. —Gary D. Roberts, J. Michael Pereira, Duane M. Revilock, Jr., Wieslaw K. Binienda, Ming Xie, and Mike Braley; 18(1), 3-7 (2005).

Implementation of an Associative Flow Rule Including Hydrostatic Stress Effects into the High Strain Rate Deformation Analysis of Polymer Matrix Composites. —Robert K. Goldberg, Gary D. Roberts, and Amos Gilat; 18(1), 18-27 (2005).

Free Vibration of Open Circular Cylindrical Composite Shells with Point Supports. —A. V. Singh and Libing Shen; 18(2), 120-8 (2005).

Buckling of Laminated Composite Rectangular Plates. — K. K. Shukla, Y. Nath, E. Kreuzer, and K. V. Sateesh Kumar; 18(4), 215-23 (2005).

Composite Tube Hinges. —J. C. H. Yee and S. Pellegrino; 18(4), 224-31 (2005).

Composite structures
Ballistic Impact of Braided Composites with a Soft Projectile. — Gary D. Roberts, J. Michael Pereira, Duane M. Revilock, Jr., Wieslaw K. Binienda, Ming Xie, and Mike Braley; 18(1), 3-7 (2005).
Mechanics of Composite Sinusoidal Honeycomb Cores. — Pizhong Qiao and Jialai Wang; 18(1), 42-50 (2005).

Computation
Transform Potential-Theoretic Method for Acoustic Radiation from Structures. — S. I. Hariharan and Scott Sawyer; 18(1), 60-7 (2005).
Rotorcraft Trajectory Optimization with Realizability Considerations. — Carlo L. Bottasso, Alessandro Croce, Domenico Leonello, and Luca Riviello; 18(3), 146-55 (2005).

Constitutive equations
Implementation of an Associative Flow Rule Including Hydrostatic Stress Effects into the High Strain Rate Deformation Analysis of Polymer Matrix Composites. —Robert K. Goldberg, Gary D. Roberts, and Amos Gilat; 18(1), 18-27 (2005).

Constitutive models
Role of the Material Constitutive Model in Simulating the Reusable Launch Vehicle Thrust Cell Liner Response. —Daniel T. Butler, Jr., Jacob Aboudi, and Marek-Jerzy Pindera; 18(1), 28-41 (2005).

Control
Applications of Genetic-Taguchi Algorithm in Flight Control Designs. —Ciann-Dong Yang, Chi-Chung Luo, Shiu-Jeng Liu, and Yeong-Hwa Chang; 18(4), 232-41 (2005).

Control methods
Rotorcraft Trajectory Optimization with Realizability Considerations. —Carlo L. Bottasso, Alessandro Croce, Domenico Leonello, and Luca Riviello; 18(3), 146-55 (2005).

Core
Mechanics of Composite Sinusoidal Honeycomb Cores. — Pizhong Qiao and Jialai Wang; 18(1), 42-50 (2005).

Cylinders
Stability of Anisotropic Laminated Rings and Long Cylinders Subjected to External Hydrostatic Pressure. — Hayder A. Rasheed and Omer H. Yousif; 18(3), 129-38 (2005).

Cylindrical shells
Free Vibration of Open Circular Cylindrical Composite Shells with Point Supports. —A. V. Singh and Libing Shen; 18(2), 120-8 (2005).

Damage assessment
Structural Identification and Damage Detection from Noisy Modal Data. —Firdaus E. Udwadia; 18(3), 179-87 (2005).

Damping
Experimental Considerations for Determining the Damping Coefficients of Hard Coatings. —Frank Ivancic and Anthony Palazotto; 18(1), 8-17 (2005).
Asymptotic Distribution of Eigenvalues for Damped String Equation: Numerical Approach. —Marianna A. Shubov and Andras Balogh; 18(2), 69-83 (2005).

Deformation
Role of the Material Constitutive Model in Simulating the Reusable Launch Vehicle Thrust Cell Liner Response. — Daniel T. Butler, Jr., Jacob Aboudi, and Marek-Jerzy Pindera; 18(1), 28-41 (2005).
Effect of z-Pins on Fracture in Composite Cocured Double Cantilever Beams. — Victor Birman and Larry W. Byrd; 18(1), 51-9 (2005).

Deformation analysis
Implementation of an Associative Flow Rule Including Hydrostatic Stress Effects into the High Strain Rate Deformation Analysis of Polymer Matrix Composites. — Robert K. Goldberg, Gary D. Roberts, and Amos Gilat; 18(1), 18-27 (2005).

Design
Applications of Genetic-Taguchi Algorithm in Flight Control Designs. — Ciann-Dong Yang, Chi-Chung Luo, Shiu-Jeng Liu, and Yeong-Hwa Chang; 18(4), 232-41 (2005).

Eigenvalues
Asymptotic Distribution of Eigenvalues for Damped String Equation: Numerical Approach. — Marianna A. Shubov and Andras Balogh; 18(2), 69-83 (2005).

Energy conservation
Energy-Efficient Trajectories of Unmanned Aerial Vehicles Flying through Thermals. —Ying "Celia" Qi and Yiyuan J. Zhao; 18(2), 84-92 (2005).

Experimentation
Experimental Studies on Supersonic Cold Flow Mixing with Ramp Mixers. —S. Manoharan, B. Umesh Chandra, S. R. Chakravarthy, S. Rajesh Ramakrishnan, and J. D. A. Subramanyam; 18(4), 197-205 (2005).

Fiber reinforced plastics
Composite Tube Hinges. —J. C. H. Yee and S. Pellegrino; 18(4), 224-31 (2005).

Fiber reinforced polymers
Mechanics of Composite Sinusoidal Honeycomb Cores. — Pizhong Qiao and Jialai Wang; 18(1), 42-50 (2005).

Fluid flow
Ultrasonic Lift Measurement Technique for Flow-Induced Structural Vibrations. —Jiankun Yuan and David J. Olinger; 18(2), 111-9 (2005).

Flutter
Nonlinear Aeroelastic Simulation of a Full-Span Aircraft with Oscillating Control Surfaces. —Jae-Han Yoo, Dong-Hyun Kim, Hyuk-Jun Kwon, and In Lee; 18(3), 156-67 (2005).

Fractures
Effect of z-Pins on Fracture in Composite Cocured Double Cantilever Beams. —Victor Birman and Larry W. Byrd; 18(1), 51-9 (2005).

Hinges
Composite Tube Hinges. —J. C. H. Yee and S. Pellegrino; 18(4), 224-31 (2005).

Honeycomb structures
Mechanics of Composite Sinusoidal Honeycomb Cores. — Pizhong Qiao and Jialai Wang; 18(1), 42-50 (2005).

Hydrostatic pressure
Implementation of an Associative Flow Rule Including Hydrostatic Stress Effects into the High Strain Rate Deformation Analysis of Polymer Matrix Composites. — Robert K. Goldberg, Gary D. Roberts, and Amos Gilat; 18(1), 18-27 (2005).

Ice
Simulation of Airfoil Icing with a Novel Morphogenetic Model. — Krzysztof Szilder and Edward P. Lozowski; 18(2), 102-10 (2005).

Identification
Structural Identification and Damage Detection from Noisy Modal Data. — Firdaus E. Udwadia; 18(3), 179-87 (2005).

Impact tests
Ballistic Impact of Braided Composites with a Soft Projectile. — Gary D. Roberts, J. Michael Pereira, Duane M. Revilock, Jr., Wieslaw K. Binienda, Ming Xie, and Mike Braley; 18(1), 3-7 (2005).

Joints
Effect of z-Pins on Fracture in Composite Cocured Double Cantilever Beams. — Victor Birman and Larry W. Byrd; 18(1), 51-9 (2005).

Laminates
Free Vibration of Open Circular Cylindrical Composite Shells with Point Supports. —A. V. Singh and Libing Shen; 18(2), 120-8 (2005).
Stability of Anisotropic Laminated Rings and Long Cylinders Subjected to External Hydrostatic Pressure. — Hayder A. Rasheed and Omer H. Yousif; 18(3), 129-38 (2005).
Buckling of Laminated Composite Rectangular Plates. — K. K. Shukla, Y. Nath, E. Kreuzer, and K. V. Sateesh Kumar; 18(4), 215-23 (2005).

Liners
Role of the Material Constitutive Model in Simulating the Reusable Launch Vehicle Thrust Cell Liner Response. —Daniel T. Butler, Jr., Jacob Aboudi, and Marek-Jerzy Pindera; 18(1), 28-41 (2005).

Loads
Hierarchical High-Fidelity Analysis Methodology for Buckling Critical Structures. —Johann Arbocz and James H. Starnes; 18(3), 168-78 (2005).

Measurement
Structural Identification and Damage Detection from Noisy Modal Data. —Firdaus E. Udwadia; 18(3), 179-87 (2005).

Microwaves
Microwave Sintering of Lunar Soil: Properties, Theory, and Practice. —Lawrence A. Taylor and Thomas T. Meek; 18(3), 188-96 (2005).

Mixing
Experimental Studies on Supersonic Cold Flow Mixing with Ramp Mixers. —S. Manoharan, B. Umesh Chandra, S. R. Chakravarthy, S. Rajesh Ramakrishnan, and J. D. A. Subramanyam; 18(4), 197-205 (2005).

Modal analysis
Structural Identification and Damage Detection from Noisy Modal Data. —Firdaus E. Udwadia; 18(3), 179-87 (2005).

Model verification
Structural Identification and Damage Detection from Noisy Modal Data. —Firdaus E. Udwadia; 18(3), 179-87 (2005).

Models
Generic Impedance-Based Model for Structure-Piezoceramic Interacting System. — Yaowen Yang, Jianfeng Xu, and Chee Kiong Soh; 18(2), 93-101 (2005).

Monitoring
Generic Impedance-Based Model for Structure-Piezoceramic Interacting System. — Yaowen Yang, Jianfeng Xu, and Chee Kiong Soh; 18(2), 93-101 (2005).

Moon
Microwave Sintering of Lunar Soil: Properties, Theory, and Practice. — Lawrence A. Taylor and Thomas T. Meek; 18(3), 188-96 (2005).

Motion
Constrained Motion of Tethered Satellites. — Aaron D. Schutte and Brian A. Dooley; 18(4), 242-50 (2005).

Noise
Structural Identification and Damage Detection from Noisy Modal Data. — Firdaus E. Udwadia; 18(3), 179-87 (2005).

Nonlinear response
Constrained Motion of Tethered Satellites. —Aaron D. Schutte and Brian A. Dooley; 18(4), 242-50 (2005).

Numerical analysis
Free Vibration of Open Circular Cylindrical Composite Shells with Point Supports. —A. V. Singh and Libing Shen; 18(2), 120-8 (2005).

Numerical models
Simulation of Airfoil Icing with a Novel Morphogenetic Model. —Krzysztof Szilder and Edward P. Lozowski; 18(2), 102-10 (2005).

Optimization
Energy-Efficient Trajectories of Unmanned Aerial Vehicles Flying through Thermals. —Ying "Celia" Qi and Yiyuan J. Zhao; 18(2), 84-92 (2005).
Rotorcraft Trajectory Optimization with Realizability Considerations. —Carlo L. Bottasso, Alessandro Croce, Domenico Leonello, and Luca Riviello; 18(3), 146-55 (2005).

Oscillation
Ultrasonic Lift Measurement Technique for Flow-Induced Structural Vibrations. —Jiankun Yuan and David J. Olinger; 18(2), 111-9 (2005).

Plates
Generic Impedance-Based Model for Structure-Piezoceramic Interacting System. —Yaowen Yang, Jianfeng Xu, and Chee Kiong Soh; 18(2), 93-101 (2005).
Buckling of Laminated Composite Rectangular Plates. — K. K. Shukla, Y. Nath, E. Kreuzer, and K. V. Sateesh Kumar; 18(4), 215-23 (2005).

Polymers
Implementation of an Associative Flow Rule Including Hydrostatic Stress Effects into the High Strain Rate Deformation Analysis of Polymer Matrix Composites. —Robert K. Goldberg, Gary D. Roberts, and Amos Gilat; 18(1), 18-27 (2005).

Predictions
Simulation of Airfoil Icing with a Novel Morphogenetic Model. —Krzysztof Szilder and Edward P. Lozowski; 18(2), 102-10 (2005).

Projectiles
Ballistic Impact of Braided Composites with a Soft Projectile. — Gary D. Roberts, J. Michael Pereira, Duane M. Revilock, Jr., Wieslaw K. Binienda, Ming Xie, and Mike Braley; 18(1), 3-7 (2005).

Radiation
Transform Potential-Theoretic Method for Acoustic Radiation from Structures. — S. I. Hariharan and Scott Sawyer; 18(1), 60-7 (2005).

Ramps
Experimental Studies on Supersonic Cold Flow Mixing with Ramp Mixers. — S. Manoharan, B. Umesh Chandra, S. R. Chakravarthy, S. Rajesh Ramakrishnan, and J. D. A. Subramanyam; 18(4), 197-205 (2005).

Reflection
Large Deployable Space Antennas Based on Usage of Polygonal Pantograph. — A. G. Cherniavsky, V. I. Gulyayev, V. V. Gaidaichuk, and A. I. Fedoseev; 18(3), 139-45 (2005).

Rings
Stability of Anisotropic Laminated Rings and Long Cylinders Subjected to External Hydrostatic Pressure. — Hayder A. Rasheed and Omer H. Yousif; 18(3), 129-38 (2005).

Sandwich structures
Mechanics of Composite Sinusoidal Honeycomb Cores. — Pizhong Qiao and Jialai Wang; 18(1), 42-50 (2005).

Satellites
Constrained Motion of Tethered Satellites. —Aaron D. Schutte and Brian A. Dooley; 18(4), 242-50 (2005).

Simulation
Role of the Material Constitutive Model in Simulating the Reusable Launch Vehicle Thrust Cell Liner Response. —Daniel T. Butler, Jr., Jacob Aboudi, and Marek-Jerzy Pindera; 18(1), 28-41 (2005).
Simulation of Airfoil Icing with a Novel Morphogenetic Model. —Krzysztof Szilder and Edward P. Lozowski; 18(2), 102-10 (2005).
Nonlinear Aeroelastic Simulation of a Full-Span Aircraft with Oscillating Control Surfaces. —Jae-Han Yoo, Dong-Hyun Kim, Hyuk-Jun Kwon, and In Lee; 18(3), 156-67 (2005).

Soil properties
Microwave Sintering of Lunar Soil: Properties, Theory, and Practice. —Lawrence A. Taylor and Thomas T. Meek; 18(3), 188-96 (2005).

Space exploration
Microwave Sintering of Lunar Soil: Properties, Theory, and Practice. —Lawrence A. Taylor and Thomas T. Meek; 18(3), 188-96 (2005).

Spacecraft
Role of the Material Constitutive Model in Simulating the Reusable Launch Vehicle Thrust Cell Liner Response. —Daniel T. Butler, Jr., Jacob Aboudi, and Marek-Jerzy Pindera; 18(1), 28-41 (2005).

Stiffness
Mechanics of Composite Sinusoidal Honeycomb Cores. — Pizhong Qiao and Jialai Wang; 18(1), 42-50 (2005).

Strain rate
Implementation of an Associative Flow Rule Including Hydrostatic Stress Effects into the High Strain Rate Deformation Analysis of Polymer Matrix Composites. — Robert K. Goldberg, Gary D. Roberts, and Amos Gilat; 18(1), 18-27 (2005).

Structural reliability
Generic Impedance-Based Model for Structure-Piezoceramic Interacting System. — Yaowen Yang, Jianfeng Xu, and Chee Kiong Soh; 18(2), 93-101 (2005).

Structural safety
Structural Identification and Damage Detection from Noisy Modal Data. — Firdaus E. Udwadia; 18(3), 179-87 (2005).

Thermal factors
Energy-Efficient Trajectories of Unmanned Aerial Vehicles Flying through Thermals. — Ying "Celia" Qi and Yiyuan J. Zhao; 18(2), 84-92 (2005).

Thin shell structures
Hierarchical High-Fidelity Analysis Methodology for Buckling Critical Structures. — Johann Arbocz and James H. Starnes; 18(3), 168-78 (2005).
Composite Tube Hinges. —J. C. H. Yee and S. Pellegrino; 18(4), 224-31 (2005).

Toughness
Effect of z-Pins on Fracture in Composite Cocured Double Cantilever Beams. —Victor Birman and Larry W. Byrd; 18(1), 51-9 (2005).

Tubes
Composite Tube Hinges. —J. C. H. Yee and S. Pellegrino; 18(4), 224-31 (2005).

Turbines
Experimental Considerations for Determining the Damping Coefficients of Hard Coatings. —Frank Ivancic and Anthony Palazotto; 18(1), 8-17 (2005).

Vibration
Experimental Considerations for Determining the Damping Coefficients of Hard Coatings. —Frank Ivancic and Anthony Palazotto; 18(1), 8-17 (2005).
Asymptotic Distribution of Eigenvalues for Damped String Equation: Numerical Approach. —Marianna A. Shubov and Andras Balogh; 18(2), 69-83 (2005).
Ultrasonic Lift Measurement Technique for Flow-Induced Structural Vibrations. —Jiankun Yuan and David J. Olinger; 18(2), 111-9 (2005).
Free Vibration of Open Circular Cylindrical Composite Shells with Point Supports. —A. V. Singh and Libing Shen; 18(2), 120-8 (2005).

Wave equations
Asymptotic Distribution of Eigenvalues for Damped String Equation: Numerical Approach. —Marianna A. Shubov and Andras Balogh; 18(2), 69-83 (2005).

Wind tunnel test
Ultrasonic Lift Measurement Technique for Flow-Induced Structural Vibrations. —Jiankun Yuan and David J. Olinger; 18(2), 111-9 (2005).

Author Index

Aboudi, Jacob
Role of the Material Constitutive Model in Simulating the Reusable Launch Vehicle Thrust Cell Liner Response. —Daniel T. Butler, Jr., Jacob Aboudi, and Marek-Jerzy Pindera; 18(1), 28-41 (2005).

Arbocz, Johann
Hierarchical High-Fidelity Analysis Methodology for Buckling Critical Structures. —Johann Arbocz and James H. Starnes; 18(3), 168-78 (2005).

Balogh, Andras
Asymptotic Distribution of Eigenvalues for Damped String Equation: Numerical Approach. —Marianna A. Shubov and Andras Balogh; 18(2), 69-83 (2005).

Beran, Philip
Dynamic Aeroelastic Instabilities of an Aircraft Wing with Underwing Store in Transonic Regime. — Chakradhar Byreddy, Ramana V. Grandhi, and Philip Beran; 18(4), 206-14 (2005).

Binienda, Wieslaw K.
Advanced Materials and Structures: Analysis Methods and Results. —Wieslaw K. Binienda and Pizhong Qiao; 18(1), 1-2 (2005).
Ballistic Impact of Braided Composites with a Soft Projectile. —Gary D. Roberts, J. Michael Pereira, Duane M. Revilock, Jr., Wieslaw K. Binienda, Ming Xie, and Mike Braley; 18(1), 3-7 (2005).

Birman, Victor
Effect of z-Pins on Fracture in Composite Cocured Double Cantilever Beams. —Victor Birman and Larry W. Byrd; 18(1), 51-9 (2005).

Bottasso, Carlo L.
Rotorcraft Trajectory Optimization with Realizability Considerations. —Carlo L. Bottasso, Alessandro Croce, Domenico Leonello, and Luca Riviello; 18(3), 146-55 (2005).

Braley, Mike
Ballistic Impact of Braided Composites with a Soft Projectile. —Gary D. Roberts, J. Michael Pereira, Duane M. Revilock, Jr., Wieslaw K. Binienda, Ming Xie, and Mike Braley; 18(1), 3-7 (2005).

Butler, Daniel T., Jr.
Role of the Material Constitutive Model in Simulating the Reusable Launch Vehicle Thrust Cell Liner Response. —Daniel T. Butler, Jr., Jacob Aboudi, and Marek-Jerzy Pindera; 18(1), 28-41 (2005).

Byrd, Larry W.
Effect of z-Pins on Fracture in Composite Cocured Double Cantilever Beams. —Victor Birman and Larry W. Byrd; 18(1), 51-9 (2005).

Byreddy, Chakradhar
Dynamic Aeroelastic Instabilities of an Aircraft Wing with Underwing Store in Transonic Regime. — Chakradhar Byreddy, Ramana V. Grandhi, and Philip Beran; 18(4), 206-14 (2005).

Chakravarthy, S. R.
Experimental Studies on Supersonic Cold Flow Mixing with Ramp Mixers. — S. Manoharan, B. Umesh Chandra, S. R. Chakravarthy, S. Rajesh Ramakrishnan, and J. D. A. Subramanyam; 18(4), 197-205 (2005).

Chandra, B. Umesh
Experimental Studies on Supersonic Cold Flow Mixing with Ramp Mixers. — S. Manoharan, B. Umesh Chandra, S. R. Chakravarthy, S. Rajesh Ramakrishnan, and J. D. A. Subramanyam; 18(4), 197-205 (2005).

Chang, Yeong-Hwa
Applications of Genetic-Taguchi Algorithm in Flight Control Designs. — Ciann-Dong Yang, Chi-Chung Luo, Shiu-Jeng Liu, and Yeong-Hwa Chang; 18(4), 232-41 (2005).

Cherniavsky, A. G.
Large Deployable Space Antennas Based on Usage of Polygonal Pantograph. —A. G. Cherniavsky, V. I. Gulyayev, V. V. Gaidaichuk, and A. I. Fedoseev; 18(3), 139-45 (2005).

Croce, Alessandro
Rotorcraft Trajectory Optimization with Realizability Considerations. —Carlo L. Bottasso, Alessandro Croce, Domenico Leonello, and Luca Riviello; 18(3), 146-55 (2005).

Dooley, Brian A.
Constrained Motion of Tethered Satellites. —Aaron D. Schutte and Brian A. Dooley; 18(4), 242-50 (T) (2005).

Fedoseev, A. I.
Large Deployable Space Antennas Based on Usage of Polygonal Pantograph. —A. G. Cherniavsky, V. I. Gulyayev, V. V. Gaidaichuk, and A. I. Fedoseev; 18(3), 139-45 (2005).

Gaidaichuk, V. V.
Large Deployable Space Antennas Based on Usage of Polygonal Pantograph. —A. G. Cherniavsky, V. I. Gulyayev, V. V. Gaidaichuk, and A. I. Fedoseev; 18(3), 139-45 (2005).

Gilat, Amos
Implementation of an Associative Flow Rule Including Hydrostatic Stress Effects into the High Strain Rate Deformation Analysis of Polymer Matrix Composites. —Robert K. Goldberg, Gary D. Roberts, and Amos Gilat; 18(1), 18-27 (2005).

Goldberg, Robert K.
Implementation of an Associative Flow Rule Including Hydrostatic Stress Effects into the High Strain Rate Deformation Analysis of Polymer Matrix Composites. — Robert K. Goldberg, Gary D. Roberts, and Amos Gilat; 18(1), 18-27 (2005).

Grandhi, Ramana V.
Dynamic Aeroelastic Instabilities of an Aircraft Wing with Underwing Store in Transonic Regime. — Chakradhar Byreddy, Ramana V. Grandhi, and Philip Beran; 18(4), 206-14 (2005).

Gulyayev, V. I.
Large Deployable Space Antennas Based on Usage of Polygonal Pantograph. — A. G. Cherniavsky, V. I. Gulyayev, V. V. Gaidaichuk, and A. I. Fedoseev; 18(3), 139-45 (2005).

Hariharan, S. I.
Transform Potential-Theoretic Method for Acoustic Radiation from Structures. — S. I. Hariharan and Scott Sawyer; 18(1), 60-7 (2005).

Ivancic, Frank
Experimental Considerations for Determining the Damping Coefficients of Hard Coatings. — Frank Ivancic and Anthony Palazotto; 18(1), 8-17 (2005).

Kim, Dong-Hyun
Nonlinear Aeroelastic Simulation of a Full-Span Aircraft with Oscillating Control Surfaces. —Jae-Han Yoo, Dong-Hyun Kim, Hyuk-Jun Kwon, and In Lee; 18(3), 156-67 (2005).

Kreuzer, E.
Buckling of Laminated Composite Rectangular Plates. — K. K. Shukla, Y. Nath, E. Kreuzer, and K. V. Sateesh Kumar; 18(4), 215-23 (2005).

Kumar, K. V. Sateesh
Buckling of Laminated Composite Rectangular Plates. — K. K. Shukla, Y. Nath, E. Kreuzer, and K. V. Sateesh Kumar; 18(4), 215-23 (2005).

Kwon, Hyuk-Jun
Nonlinear Aeroelastic Simulation of a Full-Span Aircraft with Oscillating Control Surfaces. —Jae-Han Yoo, Dong-Hyun Kim, Hyuk-Jun Kwon, and In Lee; 18(3), 156-67 (2005).

Lee, In
Nonlinear Aeroelastic Simulation of a Full-Span Aircraft with Oscillating Control Surfaces. —Jae-Han Yoo, Dong-Hyun Kim, Hyuk-Jun Kwon, and In Lee; 18(3), 156-67 (2005).

Leonello, Domenico
Rotorcraft Trajectory Optimization with Realizability Considerations. —Carlo L. Bottasso, Alessandro Croce, Domenico Leonello, and Luca Riviello; 18(3), 146-55 (2005).

Liu, Shiu-Jeng
Applications of Genetic-Taguchi Algorithm in Flight Control Designs. — Ciann-Dong Yang, Chi-Chung Luo, Shiu-Jeng Liu, and Yeong-Hwa Chang; 18(4), 232-41 (2005).

Lozowski, Edward P.
Simulation of Airfoil Icing with a Novel Morphogenetic Model. — Krzysztof Szilder and Edward P. Lozowski; 18(2), 102-10 (2005).

Luo, Chi-Chung
Applications of Genetic-Taguchi Algorithm in Flight Control Designs. — Ciann-Dong Yang, Chi-Chung Luo, Shiu-Jeng Liu, and Yeong-Hwa Chang; 18(4), 232-41 (2005).

Manoharan, S.
Experimental Studies on Supersonic Cold Flow Mixing with Ramp Mixers. — S. Manoharan, B. Umesh Chandra, S. R. Chakravarthy, S. Rajesh Ramakrishnan, and J. D. A. Subramanyam; 18(4), 197-205 (2005).

Meek, Thomas T.
Microwave Sintering of Lunar Soil: Properties, Theory, and Practice. — Lawrence A. Taylor and Thomas T. Meek; 18(3), 188-96 (2005).

Nath, Y.
Buckling of Laminated Composite Rectangular Plates. — K. K. Shukla, Y. Nath, E. Kreuzer, and K. V. Sateesh Kumar; 18(4), 215-23 (2005).

Olinger, David J.
Ultrasonic Lift Measurement Technique for Flow-Induced Structural Vibrations. —Jiankun Yuan and David J. Olinger; 18(2), 111-9 (2005).

Palazotto, Anthony
Experimental Considerations for Determining the Damping Coefficients of Hard Coatings. —Frank Ivancic and Anthony Palazotto; 18(1), 8-17 (2005).

Pellegrino, S.
Composite Tube Hinges. —J. C. H. Yee and S. Pellegrino; 18(4), 224-31 (2005).

Pereira, J. Michael
Ballistic Impact of Braided Composites with a Soft Projectile. —Gary D. Roberts, J. Michael Pereira, Duane M. Revilock, Jr., Wieslaw K. Binienda, Ming Xie, and Mike Braley; 18(1), 3-7 (2005).

Pindera, Marek-Jerzy
Role of the Material Constitutive Model in Simulating the Reusable Launch Vehicle Thrust Cell Liner Response. —Daniel T. Butler, Jr., Jacob Aboudi, and Marek-Jerzy Pindera; 18(1), 28-41 (2005).

Qi, Ying "Celia"
Energy-Efficient Trajectories of Unmanned Aerial Vehicles Flying through Thermals. —Ying "Celia" Qi and Yiyuan J. Zhao; 18(2), 84-92 (2005).

Qiao, Pizhong
Advanced Materials and Structures: Analysis Methods and Results. —Wieslaw K. Binienda and Pizhong Qiao; 18(1), 1-2 (2005).
Mechanics of Composite Sinusoidal Honeycomb Cores. — Pizhong Qiao and Jialai Wang; 18(1), 42-50 (2005).

Ramakrishnan, S. Rajesh
Experimental Studies on Supersonic Cold Flow Mixing with Ramp Mixers. — S. Manoharan, B. Umesh Chandra, S. R. Chakravarthy, S. Rajesh Ramakrishnan, and J. D. A. Subramanyam; 18(4), 197-205 (2005).

Rasheed, Hayder A.
Stability of Anisotropic Laminated Rings and Long Cylinders Subjected to External Hydrostatic Pressure. — Hayder A. Rasheed and Omer H. Yousif; 18(3), 129-38 (2005).

Revilock, Duane M., Jr.
Ballistic Impact of Braided Composites with a Soft Projectile. — Gary D. Roberts, J. Michael Pereira, Duane M. Revilock, Jr., Wieslaw K. Binienda, Ming Xie, and Mike Braley; 18(1), 3-7 (2005).

Riviello, Luca
Rotorcraft Trajectory Optimization with Realizability Considerations. — Carlo L. Bottasso, Alessandro Croce, Domenico Leonello, and Luca Riviello; 18(3), 146-55 (2005).

Roberts, Gary D.
Ballistic Impact of Braided Composites with a Soft Projectile. — Gary D. Roberts, J. Michael Pereira, Duane M. Revilock, Jr., Wieslaw K. Binienda, Ming Xie, and Mike Braley; 18(1), 3-7 (2005).
Implementation of an Associative Flow Rule Including Hydrostatic Stress Effects into the High Strain Rate Deformation Analysis of Polymer Matrix Composites. —Robert K. Goldberg, Gary D. Roberts, and Amos Gilat; 18(1), 18-27 (2005).

Sawyer, Scott
Transform Potential-Theoretic Method for Acoustic Radiation from Structures. —S. I. Hariharan and Scott Sawyer; 18(1), 60-7 (2005).

Schutte, Aaron D.
Constrained Motion of Tethered Satellites. —Aaron D. Schutte and Brian A. Dooley; 18(4), 242-50 (T) (2005).

Shen, Libing
Free Vibration of Open Circular Cylindrical Composite Shells with Point Supports. —A. V. Singh and Libing Shen; 18(2), 120-8 (2005).

Shubov, Marianna A.
Asymptotic Distribution of Eigenvalues for Damped String Equation: Numerical Approach. —Marianna A. Shubov and Andras Balogh; 18(2), 69-83 (2005).

Shukla, K. K.
Buckling of Laminated Composite Rectangular Plates. — K. K. Shukla, Y. Nath, E. Kreuzer, and K. V. Sateesh Kumar; 18(4), 215-23 (2005).

Singh, A. V.
Free Vibration of Open Circular Cylindrical Composite Shells with Point Supports. —A. V. Singh and Libing Shen; 18(2), 120-8 (2005).

Soh, Chee Kiong
Generic Impedance-Based Model for Structure-Piezoceramic Interacting System. —Yaowen Yang, Jianfeng Xu, and Chee Kiong Soh; 18(2), 93-101 (2005).

Starnes, James H.
Hierarchical High-Fidelity Analysis Methodology for Buckling Critical Structures. — Johann Arbocz and James H. Starnes; 18(3), 168-78 (2005).

Subramanyam, J. D. A.
Experimental Studies on Supersonic Cold Flow Mixing with Ramp Mixers. — S. Manoharan, B. Umesh Chandra, S. R. Chakravarthy, S. Rajesh Ramakrishnan, and J. D. A. Subramanyam; 18(4), 197-205 (2005).

Szilder, Krzysztof
Simulation of Airfoil Icing with a Novel Morphogenetic Model. — Krzysztof Szilder and Edward P. Lozowski; 18(2), 102-10 (2005).

Taylor, Lawrence A.
Microwave Sintering of Lunar Soil: Properties, Theory, and Practice. — Lawrence A. Taylor and Thomas T. Meek; 18(3), 188-96 (2005).

Udwadia, Firdaus E.
Structural Identification and Damage Detection from Noisy Modal Data. — Firdaus E. Udwadia; 18(3), 179-87 (2005).

Wang, Jialai
Mechanics of Composite Sinusoidal Honeycomb Cores. — Pizhong Qiao and Jialai Wang; 18(1), 42-50 (2005).

Xie, Ming
Ballistic Impact of Braided Composites with a Soft Projectile. —Gary D. Roberts, J. Michael Pereira, Duane M. Revilock, Jr., Wieslaw K. Binienda, Ming Xie, and Mike Braley; 18(1), 3-7 (2005).

Xu, Jianfeng
Generic Impedance-Based Model for Structure-Piezoceramic Interacting System. —Yaowen Yang, Jianfeng Xu, and Chee Kiong Soh; 18(2), 93-101 (2005).

Yang, Ciann-Dong
Applications of Genetic-Taguchi Algorithm in Flight Control Designs. —Ciann-Dong Yang, Chi-Chung Luo, Shiu-Jeng Liu, and Yeong-Hwa Chang; 18(4), 232-41 (2005).

Yang, Yaowen
Generic Impedance-Based Model for Structure-Piezoceramic Interacting System. —Yaowen Yang, Jianfeng Xu, and Chee Kiong Soh; 18(2), 93-101 (2005).

Yee, J. C. H.
Composite Tube Hinges. —J. C. H. Yee and S. Pellegrino; 18(4), 224-31 (2005).

Yoo, Jae-Han
Nonlinear Aeroelastic Simulation of a Full-Span Aircraft with Oscillating Control Surfaces. —Jae-Han Yoo, Dong-Hyun Kim, Hyuk-Jun Kwon, and In Lee; 18(3), 156-67 (2005).

Yousif, Omer H.
Stability of Anisotropic Laminated Rings and Long Cylinders Subjected to External Hydrostatic Pressure. — Hayder A. Rasheed and Omer H. Yousif; 18(3), 129-38 (2005).

Yuan, Jiankun
Ultrasonic Lift Measurement Technique for Flow-Induced Structural Vibrations. —Jiankun Yuan and David J. Olinger; 18(2), 111-9 (2005).

Zhao, Yiyuan J.
Energy-Efficient Trajectories of Unmanned Aerial Vehicles Flying through Thermals. — Ying "Celia" Qi and Yiyuan J. Zhao; 18(2), 84-92 (2005).